

**NOTICE OF COMPLETION**  
**Municipal Class Environmental Assessment**  
**Northeast Chatham-Kent Water Distribution System Municipal Class Environmental**  
**Assessment – Schedule ‘B’**

**May 22, 2023**

**The Study**

The Chatham-Kent Public Utilities Commission has completed the Northeast Water Distribution System Municipal Class Environmental Assessment evaluating a range of water servicing strategies to provide sustainable water to Northeast Chatham-Kent to accommodate long-term future demands while also providing reliable water to the Delaware Nation Community. The recommended strategies include the following:

- A new 300mm watermain along Jane Street, Baseline, Zone 6 Road, Fairfield Line and Bothwell Road.
- A new 200mm watermain stub and meter on Longwoods Rd adjacent to Delaware Nation.
- A new Booster Pumping Station at the northeast corner of Zone 5 Road and Baseline.
- Reconstruction/Replacement of the existing Thamesville Standpipe.
- A new 500mm watermain on Longwoods Road/Huff Side Road/Wabash Line.
- A new 400mm watermain Smoke Line.

A Project File Report has been prepared and a copy will be placed on public record on May 22, 2023 to June 21, 2023 for thirty (30) calendar days.

**Project Report for Public Review**

The Project File Report can be reviewed by members of the public and/or any other interested party on the Municipality of Chatham-Kent Lets Talk website, at <https://www.letstalkchatham-kent.ca/north-east-ne-chatham-kent-water-distribution-system-municipal-class-ea-mcea> .

If there are any outstanding concerns or issues with this project during the 30-day review period, please address them to the Public Utilities Commission (Ali Akl, CK PUC) and consultant (Paul Adams, AECOM) staff listed below and we will attempt to seek a mutually acceptable resolution.

Under Section 16 of the Environmental Assessment Act a request to the Minister of the Environment, Conservation and Parks for an order to require the City to undertake a higher level of assessment may only be made on the grounds that the order may prevent, mitigate or remedy adverse impacts on the existing Aboriginal or Treaty rights of an indigenous community. Requests under Section 16 can be made to:

<b>Minister of the Environment, Conservation and Parks</b> Ministry of Environment, Conservation and Parks 777 Bay Street, 5th Floor Toronto ON M7A 2J3 <a href="mailto:minister.mecp@ontario.ca">minister.mecp@ontario.ca</a>	<b>Director, Environmental Assessment Branch</b> Ministry of Environment, Conservation and Parks 135 St. Clair Ave. W, 1st Floor Toronto ON, M4V 1P5 <a href="mailto:EABDirector@ontario.ca">EABDirector@ontario.ca</a>	<b>Ali Akl, P.Eng., PMP.</b> Project Engineer Chatham-Kent Public Utilities Commission Municipality of Chatham-Kent 325 Grand Ave East Chatham, ON N7L 1W9 <a href="mailto:alia@chatham-kent.ca">alia@chatham-kent.ca</a>	<b>Paul Adams</b> Environmental Planner AECOM Canada Limited 250 York Street Suite 410 London, ON N6A 6K2 <a href="mailto:paul.adams2@aecom.com">paul.adams2@aecom.com</a>
--	---	---	--

If no issues or concerns are raised by June 21, 2023, the project will be considered to have met the requirements of the Municipal Class Environmental Assessment and may proceed with detailed design, tendering and construction of the recommended works as outlined in the Project File Report.

This Notice of Completion was first issued on May 22, 2023.

*Under the Freedom of Information and Protection of Privacy Act (RSO 1990, c.F.31), Municipal Freedom of Information and Protection of Privacy Act (RSO 1990, c.M.56) and the Environmental Assessment Act, unless otherwise stated in the submission, any personal information such as name, address, telephone number and property location included in a submission will become part of the public record files for this matter and may be released, if requested, to any person.*